

Authoring

Angelo Santos

Table of contents

1 Colors	1
2 Shapes	1
3 Textures	2
4 Equations	2
4.1 Bibliography	2
4.2 References	2
5 Cross references	2
5.1 Plot	2
5.2 Equation	3
6 Callout	3
7 Article layout	4
7.1 Placing Colorbars	4

1 Colors

- Red
- Green
- Blue

2 Shapes

- Square
- Circle
- Triangle

3 Textures

- Smooth
- Bumpy
- Fuzzy

4 Equations

Einstein's theory of special relativity that expresses the equivalence of mass and energy:

$$E = mc^2$$

4.1 Bibliography

Knuth says always be literate [[@canavire-bacarreza_unintended_2018](#)].

```
1 + 1
```

```
2
```

4.2 References

5 Cross references

See [Figure 1](#) in [Section 5.1](#) for a demonstration of a simple plot.

See [Equation 1](#) to better understand standard deviation.

5.1 Plot

```
import matplotlib.pyplot as plt
plt.plot([1,23,2,4])
plt.show()
```




Figure 1: Simple Plot

5.2 Equation

$$s = \sqrt{\frac{1}{N-1} \sum_{i=1}^N (x_i - \bar{x})^2} \quad (1)$$

6 Callout

i Note

Note that there are five types of callouts, including: `note`, `tip`, `warning`, `caution`, and `important`.

💡 Tip

Note that there are five types of callouts, including: `note`, `tip`, `warning`, `caution`, and `important`.

⚠️ Warning

Note that there are five types of callouts, including: `note`, `tip`, `warning`, `caution`, and `important`.

🔥 Caution

Note that there are five types of callouts, including: `note`, `tip`, `warning`, `caution`, and `important`.

! Important

Note that there are five types of callouts, including: `note`, `tip`, `warning`, `caution`, and `important`.

7 Article layout

7.1 Placing Colorbars

Colorbars indicate the quantitative extent of image data. Placing in a figure is non-trivial because room needs to be made for them. The simplest case is just attaching a colorbar to each axes:¹.

¹ See the [Matplotlib Gallery](#) to explore colorbars further

```
import matplotlib.pyplot as plt
import numpy as np

fig, axs = plt.subplots(2, 2)
fig.set_size_inches(20, 8)
cmaps = ['RdBu_r', 'viridis']
for col in range(2):
    for row in range(2):
        ax = axs[row, col]
        pcm = ax.pcolormesh(
            np.random.random((20, 20)) * (col + 1),
            cmap=cmaps[col]
        )
        fig.colorbar(pcm, ax=ax)
plt.show()
```

